



TSE 3527
Advanced Counter-Surveillance



TSE 3527 Advanced Counter-Surveillance Jammer

TSE 3527 TECHNICAL MANUAL

The TSE 3527 dammer is based on Gammas long standing technological leadership and its proven jamming technology. Gammas widely installed product base attests to Gammas determination to provide high-end, quality products to customers around the world.

The TSE will protect room conversation against wireless bugs by dimming the frequency modulation of the bugs.

SPECIFICATIONS

FREQUENCY RANGE:

5 channels HF 20 - 80MHz MF 80 - 200MHz HF 200 - 500MHz SHF 500 - 1000MHz SHFII 1800- 2000MHz

POWER-OUTPUT:

45-50 Wum of all channels

MODULATION:

Double-Digital-Sweep

POWER-SUPPLY:

220-240 V

5 ANTENNAS:

50 ohm N-Connector

JAMMING DISTANCE:

200 m

DIMENSIONS: 460 x 520 x 280 mm WEIGHT: Approximately 19 ig









CONFIDENTIAL page 1









If you would like further Information about ELAMAN, or would like to discuss a specific requirement or project, please contact us at:

Elaman GmbH German Security Solutions Seitzstr. 23 80538 Munich Germany

> Tel: +49-89-24 20 91 80 Fax: +49-89-24 20 91 81 info@elaman.de www.elaman.de