



GSM Jammers for Rooms

3015 / 3016

GSM Jammer For Rooms

3015 / 3016

The 3015 and 3016 jammers are based on Elaman's long standing technological leadership and it's proven jamming technology. The wide installed product base at-tests to Elaman's determination to provide high-end, quality products to customers around the world.

Triple jammer:

900 / 1800 / 1900 MHz
(GSM Standard D1, D2, E, E-plus, wireless phone, analog/DECT, UMTS)



HP 3015

Jammer-distance:

3015: 5- 6 m (40 - 50 m2)
3016: 8-12 m (70 -100 m2)
At 1800/1900 MHz the radiation is 1/3 lower.



Modulation:

Very fast and special digital doppler-sweep with impulse compression. Complete elimination of AM, FM and digital HF carriers.



HP 3016

Input DC:

12-24V/600mA, DC Box 100-240VDC
Option for walls: Automatic intern DC Box for 100-240VDC

Dimensions/Weight:

3015: 150 x 80 x 35 mm
3016: 150 x 80 x 45 mm

Use-Temperature:

-20 to 55°C

The 3015 and 3016 are for small and middle conference rooms, to stop incoming and/or sending information from mobile phones. Make your meetings confidential in companies, hotels, embassies, courses, offices, etc.. Use the 3015/3016 on tables or at walls. Also it could be used in cars with 12 or 24 V.



Nice, flat and not conspicuous case. Easy handling.

The 3016 works with 1/3 more output power.

Jammers of the newest generation. Both products are without external antennas! The radiation rate is lower as by mobile phones. The 3015 and 3016 could be used for hours! Fix them on the wall near a socket.



If you would like further Information about ELAMAN,
or would like to discuss a specific requirement or project, please contact us at:

Elaman GmbH
German Security Solutions
Seitzstr. 23
80538 Munich
Germany

Tel: +49-89-24 20 91 80
Fax: +49-89-24 20 91 81
info@elaman.de
www.elaman.de