



## Automatic Covert Low Noise Drilling Kit

Model 2122

## Automatic Covert Low Noise Drilling Kit

Model 2122

The TSE 2122 is a covert operational, mains powered drilling system, with accessories, for the deployment of audio microphones.


### Overview

The powered drilling system is designed to allow precise drilling into any building fabric. It enables the operative to control the speed and feed of cut, angle of attack and drill depth.

The vacuum and spoil extraction system removes the drilled material. It allows the controlled feed of water to assist in the cutting and cooling of the diamond core drill. There is the option of straight vacuum suction for clearing dust through the centre of the hollow rods for spoil clearance.

### Drilling kit & extraction system consists of:

- 1 powered drilling head
- 1 wall bracket
- 1 drilling motor
- 1 control system
- 1 drill extractor
- 1 core cleaner
- 1 hand control
- 1 union
- 1 packing case
- 2 150 mm hollow rods
- 2 main bore drills (threaded shank)
- 2 300mm hollow rods
- 1 125mm threaded drill
- 3 diamond core drills
- 1 vacuum pump
- 1 water feed pump
- 1 vacuum filter
- 1 drip trap
- 1 flexible tubing



### 1. Key features

- Complete operational kit
- Fully controllable speed
- Fully controllable feed
- Low noise emission
- Can run on 24v DC
- Emergency cut-off
- Vacuum & spoil extraction system available
- Operationally proven

### 2. OPTIONAL EXTRAS

- Audio Mic Kit
- Video Probe Kit

**KIT**



Powered drilling system



Vacuum & spoil extraction system

**Individual items and spares**



Extract Handle



Drill Head motor

**Spares**



Diamond core drill



Union



Single pin fixing



150 -300 mm hollow extensions  
*10.5 mm flat end bit*



Main bore drills  
*10.5 mm threaded shank*  
*10.5 mm lip & spur*



If you would like further Information about ELAMAN,  
or would like to discuss a specific requirement or project, please contact us at:

**Elaman GmbH**  
**German Security Solutions**  
**Seitzstr. 23**  
**80538 Munich**  
**Germany**

**Tel: +49-89-24 20 91 80**  
**Fax: +49-89-24 20 91 81**  
**info@elaman.de**  
**www.elaman.de**