



Low Noise Drilling System Model 5512



Low Noise Drilling System

Model 5512

- The development of this new Low Noise Drilling set is the result of many years of professional operational experience
- The complete system is stored in a discreet briefcase to enable quick setup & user-friendly operation
- In hostage situations, knowledge is vital to a successful outcome and the technique of low noise drilling allows audio and visual intelligence to be gained without alerting the hostage takers
- Unlike other drills the C7 will successfully drill through a wide range of construction materials using the specially developed main drills for long access holes and pinhole drills for the final breakthrough



We are able to offer a complete family of micro endoscopes and audio probes to complement the C7 System

Contents

- Drill head & motor
- Wall-mounting bracket
- Variable speed control box with built-in batteries
- Charger & mains PSU
- Drill bits & extension tubes
- Mounting plates, metal raw plugs & tools
- Kit briefcase & user manual

Specifications

DRILL SPEED:	VARIABLE
POWER REQUIREMENTS:	INTERNAL — BATTERIES WILL RUN FOR UP TO 5 HOURS
	EXTERNAL— 12V DC OR MAINS VIA PSU
MAIN BORE SIZE: PINHOLE BORE SIZE:	6mm (OTHER SIZES AVAILABLE) 1mm
DRILL HEAD WEIGHT: SYSTEM WEIGHT IN CASE: CASE DIMENSIONS:	1.6kg 9kg 47 X 36 X 15cm

Optional Extra

HILTI TRANS- POINTER	Magnetic field positioning tool (2-part – Transmitter & Receiver) that locates drill exit or starting point and indicates wall
	thickness. N.B. Requires temporary access to target premises.









If you would like further Information about ELAMAN, or would like to discuss a specific requirement or project, please contact us at:

Elaman GmbH German Security Solutions Seitzstr. 23 80538 Munich Germany

Tel: +49-89-24 20 91 80 Fax: +49-89-24 20 91 81

info@elaman.de www.elaman.de