



TSE 6904
GSM System

TSE 6904 GSM Surveillance Recorder System with an Incorporated Digital Audio Recorder

TSE 6904 is a covert GSM transmission and or Digital Recording system that can be fitted into vehicles or rooms and monitored over the GSM network or downloaded at a suitable and safe time.

TSE 6904 extends the possible operational range of GSM Monitoring & Recording systems with its over 4 hours digital recorder storage feature.

The operator can set TSE 6904 so that motion sensor or VOX activation starts recording instead of calling the Listening Centre with a GSM call.

The recording is downloaded later, when GSM transmission is secure or operationally possible.



TECHNICAL SPECIFICATIONS

Setting	From the listening centre
Microphone sensitivity adjustment	Reduced menu: 15 levels Complete menu: 3 levels
Motion sensor	On/off
VOX	10 levels
Digital inputs and outputs	4
Digital recorder capacity	4 hours, 45 minutes, 12 seconds
Power supply	6 +36 V
Consumption in the stand-by mode	≅30 mA @ 12 V
Consumption in transmission	≅150 mA @ 12 V
Dimensions (in mm)	126,5 x 38 x 27,3



If you would like further Information about ELAMAN,
or would like to discuss a specific requirement or project, please contact us at:

Elaman GmbH
German Security Solutions
Seitzstr. 23
80538 Munich
Germany

Tel: +49-89-24 20 91 80
Fax: +49-89-24 20 91 81
info@elaman.de
www.elaman.de