



**Miniature Camera Color
MK-15**



Miniature Camera Color – MK-15

Description

The MK-15 is equipped with CMOS-sensor and has a horizontal resolution of 380 TV-lines. The camera is provided with an electronic shutter of 1/60 – 1/1500 sec.

The camera is fitted with a normal lens (MK 15) or a conus-like pinhole lens system (MK 15P). Thus it is especially suitable for concealed applications.

Technical Data

	MK 15	MK 15P
Image Sensor:		CMOS
Horizontal Resolution:		380 TV-lines
Effective pixels		628 (H) x 582 (V)
Video output signal		1,0 V _{ss} 75 Ohm composite
Shutter:		1/60 - 1/1500 sec.
Sensitivity:		4 Lux
Focal Width:	f=3,6 mm	f=4,2 mm
Power Supply:		5 – 7,5 V DC
Dimensions:	20 x 20 x 28 mm	20 x 20 x 18 mm

Scope of Delivery: MK-15, transport box



If you would like further Information about ELAMAN,
or would like to discuss a specific requirement or project, please contact us at:

Elaman GmbH
German Security Solutions
Seitzstr. 23
80538 Munich
Germany

Tel: +49-89-24 20 91 80
Fax: +49-89-24 20 91 81
info@elaman.de
www.elaman.de